

Dynamical Stochastic Processes of Returns in Financial Markets

Gyuchang Lim¹, SooYong Kim¹, Junyuan Zhou¹, Seong-Min Yoon², and Kyungsik Kim³

¹*Department of Physics, Korea Advanced Institute of Science and Technology, Daejeon 305-701, Korea*

²*Division of Economics, Pukyong National University, Pusan 608-737, Korea*

³*Department of Physics, Pukyong National University, Pusan 608-737, Korea*

We study the evolution of probability distribution functions of returns, from the tick data of the Korean treasury bond (KTB) futures and the S&P 500 stock index, which can be described by means of the Fokker-Planck equation. We show that the Fokker-Planck equation and the Langevin equation from the estimated Kramers-Moyal coefficients are estimated directly from the empirical data. By analyzing the statistics of the returns, we present quantitatively the deterministic and random influences on financial time series for both markets, for which we can give a simple physical interpretation. We particularly focus on the diffusion coefficient that may be significantly important for the creation of a portfolio.

PACS number(s): 05.45.-a, 05.10.-a, 05.40.-a, 89.75.Hc

I. INTRODUCTION

In the pioneering work of Bachelier [1], it has been shown that the probability of price changes can be determined in terms of the Chapman-Kolmogorov equation and the Wiener process. Since this study was published, many scientific researchers in this area have suggested the stochastic models to explain how the probability density function (PDF) in delay times behaves dynamically on rigorous statistical principles. To find the scale invariance and universality in the stochastic model is an important and powerful issue in the statistical analysis of tick data of various financial markets [2, 3]. Each financial market has different characteristic features but they are expected to have some similar and scale-invariant properties in common. We wish to focus on the findings of unique trends and on the universality in them. In this study, we mainly analyze two different financial markets, the KTB and the S&P 500 stock index. The former is supposed to open for a short term of six months while the latter continues without breaks except for holidays. It is furthermore shown that there exists a similarity in the correlation of returns for both of these markets.

Several studies on the dynamics of financial markets have recently focused on the understanding of the fat-tailed PDF of the price changes. It has been shown from previous works [4, 5] that price changes in the empirical dollar-mark exchange rates is regarded as a stochastic Markov process for different delay times. Ghashghaie et al. [6] have discussed an analogy between the dynamical high-frequency behavior of the foreign exchange market and the short-time dynamics of hydrodynamic turbulence, and they are shown to be similar to the energy cascade from large and small time scales in the theoretical model of turbulence [7, 8]. Furthermore, Ivanova et al. [9] showed the validity of the Fokker-Planck approach

by testing the various financial markets, i.e., NASDAQ, NIKKEI 225, and JPY/DEM and DEM/USD currency exchange rates.

Motivated by the work of Friedrich and Ivanova [4, 5, 9], we apply the Fokker-Planck equation approach to two sets of financial data, in this case the KTB and the S&P 500 stock index. In this paper, we derive the functional form of the Fokker-Planck equation from the estimated Kramers-Moyal coefficients and present an equivalent Langevin equation for each. In Section 2, we present the numerical method for estimating Kramers-Moyal coefficients from price returns of the real financial time series. We present some results obtained by the numerical simulations in Section 3, and our concluding remarks are in the final section.

II. THE FOKKER-PLANCK EQUATION AND THE LANGEVIN EQUATION

In our study the return $r(t)$, given by $r(t) = \ln[p(t + \Delta t)/p(t)]$ for the price $p(t)$ at time t , is assumed to follow a Markov process. This assumption becomes plausible by the validity of the Chapman-Kolmogorov equation. To make a statistical analysis of financial markets, we consider a N -point joint PDF, $p(r_N, \Delta t_N; r_{N-1}, \Delta t_{N-1}; \dots; r_1, \Delta t_1)$. However, in the case of a Markov process, it is sufficient to consider the joint PDF generated by a product of the conditional probabilities in the following way:

$$\begin{aligned} p(r_N, \Delta t_N; \dots; r_1, \Delta t_1) \\ = p(r_N, \Delta t_N | r_{N-1}, \Delta t_{N-1}) \cdots p(r_2, \Delta t_2 | r_1, \Delta t_1), \end{aligned} \quad (1)$$




FIG. 1: Plot of the time series and returns in the KTB503 ((a) and (c)) and the S&P 500 stock index ((b) and (d)).

where the conditional probability $p(x_2, \Delta t_2 | x_1, \Delta t_1)$ is defined by

$$p(r_2, \Delta t_2 | r_1, \Delta t_1) = p(r_2, \Delta t_2; r_1, \Delta t_1) / p(r_1, \Delta t_1) \quad (2)$$

and evaluated for the time delay $\Delta t_2 < \Delta t_1$ directly from the tick data set. In addition we consider the Chapman-Kolmogorov equation as a necessary condition

$$p(r_2, \Delta t_2 | r_1, \Delta t_1) = \int dr_i p(r_2, \Delta t_2 | r_i, \Delta t_i) p(r_i, \Delta t_i | r_1, \Delta t_1), \quad (3)$$

which holds for any time lag Δt_i , with $\Delta t_2 < \Delta t_i < \Delta t_1$.

In order to derive an evolution for the change of distribution functions across the time scales, we should show the validity of the Chapman-Kolmogorov equation. From the validity of the Chapman-Kolmogorov equation, we can obtain an effective Fokker-Planck equation. This equation is represented in terms of the differential form as follows:

$$\frac{d}{d\Delta t} p(r, \Delta t) = \left[-\frac{\partial}{\partial r} D_1(r, \Delta t) + \frac{\partial^2}{\partial r^2} D_2(r, \Delta t) \right] p(r, \Delta t), \quad (4)$$

where the drift coefficient $D_1(r, \Delta t)$ and diffusion coefficient $D_2(r, \Delta t)$ can be estimated directly from moments M_k of the conditional probability. The relations between coefficients and moments in Kramers-Moyal expansion are described as follows:

$$D_k(r, \Delta t) = \frac{1}{k!} \lim_{\Delta \tau \rightarrow 0} M_k, \quad (5)$$

$$M_k = \frac{1}{\Delta t} \int dr' (r' - r)^k p(r', t + \Delta t | r, t) \quad (6)$$

Therefore we can derive a Langevin equation from Eq. (4).

$$\frac{d}{d\tau} r(\tau) = D_1(r(\tau), \tau) + \sqrt{D_2(r(\tau), \tau)} f(\tau), \quad (7)$$




FIG. 2: Plot of the PDFs of returns for time lags $\Delta t = 1, 2, 4, 16, 32$ min and day (from bottom to top) in (a) the KTB503 and (b) the S&P 500 stock index. The top figures (circles) of (a) and (b) approximately approach the Gaussian PDF.

where $f(\tau)$ is a fluctuating δ -correlated white noise with a Gaussian distribution holding for $\langle f(\tau) f(\tau') \rangle = 2\delta(\tau - \tau')$.

III. NUMERICAL CALCULATIONS

We analyze two different databases, the KTB 503 and the S&P 500 stock index. The KTB 503 is a minutely tick-by-tick data set consisting of 13282 quotes taken from 1st October 2004 to 31st March 2005, and the S&P 500 stock index is a daily data set consisting of 14027 quotes taken from 1950 to 2005. From both data sets we measure the price returns $r(t)$ for analysis, which is very useful to see the gain or loss of an asset in a given time period. Both time series are plotted together with the returns of the time delay $\Delta t_{max} = 32$ minutes and 32 days for the KTB 503 and S&P 500 stock index, respectively in Fig. 1. We consider a logarithmic time




FIG. 3: Contour plot of the joint PDF $p(r_2, \Delta t_2; r_1, \Delta t_1)$ for the simultaneous occurrence of price returns with time scales $\Delta t_2 = 32$ (min, day) and $\Delta t_1 = 16$ (min, day) in (a) the KTB503 and (b) the S&P 500 stock index, respectively.




FIG. 4: Contour plot of the conditional PDF $p(r_2, \Delta t_2 | r_1, \Delta t_1)$ for S&P 500 stock index with $\Delta t_1 = 16$ and $\Delta t_2 = 32$ days. (a), (b), and (c) are corresponding cuts for $r_1 = -0.05, 0$, and 0.05

scale $\tau = \ln(\Delta t_{max}/\Delta t)$ for the sake of convenience in the analysis.

We show the empirical PDF for various time delays in Fig. 2 from which we can confirm the tendency for the PDF to approach a Gaussian PDF as the time lag Δt increases. In a comparison with the PDF of Ref. [4], it is shown that the numerical iteration of the effective Fokker-Planck equation fits well the empirical PDF. In this paper, we restrict ourself to obtain an effective Fokker-Planck equation and to confirm that the approach presented is also well applied to the other financial markets different from the foreign exchange market. For the following analysis, we calculate conditional probabilities by using the contour plot of the joint PDF for the si-




FIG. 5: Matrix representations of the conditional PDFs of S&P 500 stock index scaled in a jet colorbar. (a), (b), and (c) correspond to $p(r_2, \Delta t_2 | r_1, \Delta t_1)$ with each $(\Delta t_1, \Delta t_2)$ set to $(8, 16)$, $(16, 32)$, and $(8, 32)$ in days in sequence. (d) indicates the different conditional PDF between the r.h.s and the l.h.s. of the Chapman-Kolmogorov equation, Eq. (3).

multaneous occurrence of price returns, as shown in Fig. 3.

We can obtain approximately conditional probabilities by counting the simultaneous events belonging to each bin by which the corresponding events can be divided (see Fig. 4).

Fig. 5 shows the matrix representation of conditional probabilities, which is a good indicator for proving the validity of the Chapman-Kolmogorov equation for the empirical data. The matrix is generated from a histogram with 100 discretionary steps over the range of $r(t)$. There are visible deviations in the outer region of returns, which are probably due to the finite resolution of the statistics and to the small number of data set, where $\Delta t_{max} = 32$ days and 32 minutes for S&P500 stock index and the KTB503, respectively.

To calculate M_k approximately we apply the conditional PDF obtained from the procedure, as shown in Figs. 3 and 4. We set $\Delta\tau = \ln 2$ in the estimation of D_k , and the functional r dependence of D_1 and D_2 is shown in Fig. 6. We confirmed that there is no significant difference in the estimated coefficients when varying Δt_{max} , provided that the Δt is fixed. For all scales t and Δt , the functional dependence of D_1 and D_2 behaves in the same manner. D_1 shows a linear dependence on returns, while D_2 is approximated by a polynomial of two degrees in the logarithmic returns. As specified in Ref. [4] we add an exponential term to correct the delicate differences in the minimum values of D_2 although this is too small to be considered significant. By analyzing the plots in Fig. 6, we obtained the following approximations for the KTB503 and S&P 500 stock index: For S&P 500 stock index

$$D_1 = -0.70r \quad (8)$$

and

$$D_2 = 0.48(r - 5.06 \times 10^{-3})^2 + 7.63 \times 10^{-4} \exp(-1.01\tau). \quad (9)$$




FIG. 6: Drift and diffusion coefficients estimated from the conditional PDFs. The solid curves present linear and quadratic fits in the KTB503 ((a) and (b)) and S&P 500 stock index ((c) and (d)).

For the KTB503

$$D_1 = -0.78r \quad (10)$$

and

$$D_2 = 0.58(r - 8.21 \times 10^{-5})^2 + 1.31 \times 10^{-7} \exp(-4.46\tau). \quad (11)$$

In Eqs. (9) and (11), we obtained the exponential term by solving the simultaneous equations from a pair of two conditional conditions, in this case $p(r_2, \Delta t_2 | r_1, \Delta t_1)$ where Δt_1 and Δt_2 are chosen to satisfy the condition, $\tau = \ln 2$. The analogy between turbulence and the foreign exchange market was well described and argued in Ref. [4]. Here we extend the argument to the stock and futures exchange markets. Although, as mentioned previously, the KTB503 has a short-term expiration different from the S&P500 stock index, they both show good agreement in the form of the Kramers-Moyal coefficients. We here stress again that the Fokker-Planck approach can be a suitable method to analyze the financial tick data and in understanding the statistics of their returns. Furthermore, we present a nonlinear Langevin equation,




FIG. 7: Plot of D_3 (open circle) vs D_2 (diamond). (a) and (b) correspond to the KTB503 and S&P 500 stock index, respectively.

here an underlying stochastic process, by showing that the Kramers-Moyal coefficients vanish for $k \geq 3$ (see Fig. 7). It can be particularly confirmed that the third moment of Kramers-Moyal coefficients vanishes. In Eq. (9) and (11), the exponential terms are too small to be negligible when compared to other terms. Hence, from the estimated results we can obtain a linear stochastic equation with multiplicative noise, as a quadratic noise Ornstein-Uhlenbeck process, as follows: For S&P 500 stock index,

$$\frac{d}{d\tau}r(\tau) = -0.70r(\tau) + \sqrt{0.48}r(\tau)f(\tau). \quad (12)$$

For the KTB503,

$$\frac{d}{d\tau}r(\tau) = -0.78r(\tau) + \sqrt{0.58}r(\tau)f(\tau). \quad (13)$$

From Eqs. (8)-(11) we can see that the KTB503 has a greater drift and diffusion coefficients than the S&P500 stock index. This implies that the former is more dynamic than the latter. Furthermore, the volatility of returns has considerable influence upon the deterministic trend in that the diffusion coefficient D_2 is somewhat comparable to the drift coefficient D_1 .

IV. CONCLUSIONS

We have showed that the Fokker-Planck approach can be a good method for the analysis of the financial markets in a wide spectrum. Even for a short-term expired financial market such as the Korean treasury bond futures we could obtain a well-fitted result describing the behavior of its PDF in time delays. We have also obtained the same stochastic process from both analyzed financial markets irrespective of their data acquisition frequency. Quantitative measurements of deterministic

and random influences for both futures and stock markets imply that the futures market is more dynamic than the stock market.

This paper has shown that the temporal correlation of the futures market can be described well in terms of Fokker-Planck equations. Particularly, the KTB503 is transacted for a short term of six months in the Korean financial market, but it is striking that its functional form of the Kramers-Moyal coefficients is approximately consistent with that of other assets. Moreover, the comparison of the drift and diffusion coefficients with various financial markets provides us with a numerical indicator for the creation of portfolios and risk management strate-

gies. In the future, it will be of interest to compare our results with those of other national options. Thereby we can measure and compare the stability and the efficiency of various financial markets.

Acknowledgments

This work was supported by the Korea Research Foundation Grant funded by the Korean Government (MOEHRD) (KRF-2005-041-C00183).

-
- [1] L. J. B. Bachelier, *Theorie de la Speculation*, (Gauthier-Villars, Paris, 1900); reprint (Editions Jaques Gabay, Paries, 1995).
 - [2] H. E. Stanley, *Proceedings of the 22nd IUPAP International Conference on Statistical Physics*, S. Dattagupta, H. R. Krishnamurthy, R. Pandit, T. V. Ramakrishnan and D. Sen (ed.), Indian Academy of Sciences, Bangalore, 2004, pp. 645-660.
 - [3] R. N. Mantegna and H. E. Stanley, *An Introduction to Econophysics: Correlation and Complexity in Finance* (Combridge University Press, Cambridge, 2000).
 - [4] R. Friedrich, J. Peinke and Ch. Renner, Phys. Rev. Letter **84**, 5224 (2000).
 - [5] Ch. Renner, J. Peinke and R. Friedrich, Physca **A298**, 499 (2001).
 - [6] S. Ghashghaie, W. Breymann, J. Peinke, P. Talkner and Y. Dodge, Nature **381**, 767 (1996).
 - [7] J. Davoudi and M. R. R. Tabar, Phys. Rev. Letter **82**, 1680 (1999).
 - [8] U. Frisch, *Turbulence* (Cambridge University Press, Cambridge, England, 1995).
 - [9] K. Ivanova, M. Ausloos and H. Takayasu, *The Application of Econophysics*, H. Takayasu (Ed.), Springer, Tokyo, 2004, pp. 161-168.